

FORM PTO-1390
(REV. 1-98)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

**TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371**

3286-0115P

U.S. APPLICATION NO. (If known, see 37 CFR 1.5)

09/743634

INTERNATIONAL APPLICATION NO.

INTERNATIONAL FILING DATE

PRIORITY DATE CLAIMED

PCT/DE99/02107

July 8, 1999

July 21, 1998

TITLE OF INVENTION

CONTINUOUS CASTING INSTALLATION, ESPECIALLY A THIN SLAB CONTINUOUS CASTING INSTALLATION

APPLICANT(S) FOR DO/EO/US


BURVENICH, Hans-Peter; DACHTLER, Gerhard; WELLER, Rudiger

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39 (1).
4. ☐ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau. WO 00/05014
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ A translation of the International Application into English (35 U.S.C. 371(c)(3)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(2)).
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.-1449 and International Search Report (PCT/ISA/210) w/ documents
2. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
3. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
4. ☐ A substitute specification.
5. ☐ A change of power of attorney and/or address letter.
6. ☒ Other items or information:
 - 1.) PCT Substitute Claims Letter
 - 2.) Article 34 amendments
 - 3.) Four (4) sheets of Formal Drawings

IN NO (if known, see 37 CFR 1.3)		INTERNATIONAL APPLICATION NO		ATTORNEY'S DOCKET NUMBER	
09/743634		PCT/DE99/02107		3286-0115P	
<input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS PTO USE ONLY	
BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(5): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO. \$1,000.00					
International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00					
International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO. \$710.00					
International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4). \$690.00					
International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4). \$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 1000.00	
surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input checked="" type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$ 130.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
total Claims	19 - 20 =	0	X \$18.00	\$ 0	
independent Claims	1 - 3 =	0	X \$80.00	\$ 0	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			None + \$270.00	\$ 0	
TOTAL OF ABOVE CALCULATIONS =				\$ 1130.00	
reduction of 1/2 for filing by small entity. Applicant claims small entity status (See 37 F.R. § 1.27)				\$ 0	
SUBTOTAL =				\$ 1130.00	
processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$ 0	
TOTAL NATIONAL FEE =				\$ 1130.00	
fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$ 0	
TOTAL FEES ENCLOSED =				\$ 1130.00	
				Amount to be:	\$
				refunded	\$
				charged	\$
<input checked="" type="checkbox"/> A check in the amount of \$ 1130.00 to cover the above fees is enclosed.					
<input type="checkbox"/> Please charge my Deposit Account. No. _____ in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed.					
<input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>02-2448</u> .					
OTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 137(a) or (b)) must be filed and granted to restore the application to pending status.					
send all correspondence to: Richard Stewart, Kolasch & Birch, LLP or Customer No. 2292 P.O. Box 747 Hills Church, VA 22040-0747 (703) 205-8000					
				SIGNATURE 	
				DALEY, DONALD J. NAME	
				#34,313 (DJD) REGISTRATION NO.	

January 12, 2001

(REV. 09/29/2000)

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicants: Hanz-Peter BURVENICH, Gerhard DACHTLER, Rudiger WELLER
Application No.: **NEW**
Filed: January 12, 2001
For: CONTINUOUS CASTING INSTALLATION, ESPECIALLY A THIN
SLAB CONTINUOUS CASTING INSTALLATION

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, DC 20231

January 12, 2001

Sir:

The following preliminary amendments and remarks are respectfully submitted in connection with the above-identified application.

IN THE ABSTRACT

Please replace the Abstract with the attached revised Abstract.

IN THE SPECIFICATION

Please amend the specification as follows:

Page 1

Before line 1, insert --This application is the national phase under 35 U.S.C. § 371 of PCT International Application No. PCT/DE99/02107 which has an International filing date of July 8, 1999, which designated the United States of America.--

Line 7, change "Description" to
--FIELD OF THE INVENTION--;

Line 12, change "unit, a" to --unit. A--; and

Line 13, change "being" to --are--.

Page 2

Before Line 1, insert the following heading,

--BACKGROUND OF THE INVENTION--; and

Line 1, change "Such methods" to --Methods--.

Page 3 (Amended Sheet)

At Line 5, insert heading:

--SUMMARY OF THE INVENTION--;

Line 9, delete "method";

Line 15, change "algorithm, and that" to --algorithm. Further,--;

Line 29, change "produced," to --produced.--; and

Line 30, change "which" to --The--; change "said" to --the--.

Page 4

In between lines 21 and 22 insert the following title:

--BRIEF DESCRIPTION OF THE DRAWINGS--.

Page 5

In between lines 20 and 21, insert the following heading:

--DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS--; and

Line 24, change "consists of" to --includes--;

Page 7

Line 24, after "has" insert --a--.

Page 19

After Line 7, insert the following new paragraph:

--The invention being thus described, it will be obvious that the same may be varied in many ways. Such variations are not to be regarded as a departure from the spirit and scope of the invention, and all such modifications as would be obvious to one skilled in the art are intended to be included within the scope of the following claims.--

IN THE CLAIMS

Please amend the claims as follows:

1. (Amended) A method of operating a continuous casting and rolling plant[, in particular a thin-slab continuous casting and rolling plant,] with a computing unit, including a plurality of slabs [(29) which belong] belonging to different production orders [(30, 31) being produced] within sequences [(26, 27)] on the continuous casting and rolling plant, [characterized in that] comprising:

determining the order of the slabs [(29)] belonging to the production orders [(30, 31)] within the sequences [(26, 27) is determined] with the computing unit by a genetic algorithm[.]; and [in that]

controlling the continuous casting and rolling plant [is controlled] by the computing unit in accordance with the order determined.

2. (Amended) The method as claimed in claim 1, [characterized in that] wherein at least one of a selection [and/or], a recombination and[/or] a mutation is carried out by the genetic algorithm.

3. (Amended) The method as claimed in claim 1 [or 2], [characterized in that] wherein the order of the slabs [(29)] belonging to the production orders [(30, 31)] within the sequences [(26, 27)] is determined with the computing unit by an event-oriented evaluation, and [in that] the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.

4. (Amended) The method as claimed in claim 3, [characterized in that] wherein solutions are evaluated according to [their] quality by the event-oriented evaluation.

5. (Amended) The method as claimed [in one of claims] claim 1 [to 4], [characterized in that] wherein a starting solution, as a starting point, is determined by the computing unit.

6. (Twice Amended) A continuous casting and rolling plant[, in particular a thin-slab continuous casting and rolling plant,] with a computing unit and means [of] for carrying out the method as claimed in claim 1 [or one of claims 2 to 5, in which case], wherein a plurality of slabs [(29)] which belong to different production orders [(30, 31) can be] are produced within sequences [(26, 27)] on the continuous casting and rolling plant, [characterized in that] wherein the computing unit contains a genetic algorithm for determining the order of the slabs [(29)] belonging to the production orders [(30, 31)] within the sequences [(26, 27)].

7. (Amended) The continuous casting and rolling plant as claimed in claim 6, [characterized by the use of] wherein an event-oriented evaluation is used for determining the order of the slabs [(29)] belonging to the production orders [(30, 31)] within the sequences [(26, 27)].

Please add the following new claims:

-- 8. The method of claim 1, wherein the continuous casting and rolling plant is a thin-slab continuous casting and rolling plant.

9. The method as claimed in claim 2,

wherein the order of the slabs belonging to the production orders within the sequences is determined with the computing unit by an event-oriented evaluation, and the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.

10. The method as claimed in claim 9, wherein solutions are evaluated according to quality by the event-oriented evaluation.

11. The method as claimed claim 2, wherein a starting solution, as a starting point, is determined by the computing unit.

12. The method as claimed claim 3, wherein a starting solution, as a starting point, is determined by the computing unit.

13. The method as claimed claim 4, wherein a starting solution, as a starting point, is determined by the computing unit.

14. The method as claimed claim 9, wherein a starting solution, as a starting point, is determined by the computing unit.

15. The method as claimed claim 10, wherein a starting solution, as a starting point, is determined by the computing unit.

16. A continuous casting and rolling plant with a computing unit and means for carrying out the method as claimed in claim 2, wherein a plurality of slabs which belong to different production orders are produced within sequences on the continuous casting and rolling plant, wherein the computing unit contains a genetic algorithm for determining the order of the slabs belonging to the production orders within the sequences.

17. A continuous casting and rolling plant with a computing unit and means for carrying out the method as claimed in claim 3, wherein a plurality of slabs which belong to different production orders are produced within sequences on the continuous casting and rolling plant, wherein the computing unit contains a genetic algorithm for determining the order of the slabs belonging to the production orders within the sequences.

18. A continuous casting and rolling plant with a computing unit and means for carrying out the method as claimed in claim 4, wherein a plurality of slabs which belong to different production orders are produced within sequences on the continuous casting and rolling plant, wherein the computing unit contains a genetic algorithm for determining the order of the slabs belonging to the production orders within the sequences.

19. A continuous casting and rolling plant with a computing unit and means for carrying out the method as claimed in claim 5, wherein a plurality of slabs which belong to different production orders are produced within sequences on the continuous casting and rolling plant, wherein the computing unit contains a genetic algorithm for determining the order of the slabs belonging to the production orders within the sequences.--

REMARKS

Claims 1-19 are now present in this application, with new claims 8-19 being added by the present Preliminary Amendment. It should be noted that the amendments to original claims 1-7 of the present application are non-narrowing amendments made solely to place the claims in proper form for U.S. practice and not to overcome any prior art or for any other statutory considerations. For example, amendments have been made to remove reference numerals in the claims; remove the European phrase "characterized in that"; and to place method claims in a more recognizable form, including the transitional phrase "comprising" as well as "-ing" words at the beginning of claim elements. Other such non-narrowing amendments include changing the phrase "and/or" to --at least one of-- and changing the phrase "by the use of" to --is used--. Again, all amendments are non-narrowing and have been made solely to place the claims in proper form for U.S. practice and not to overcome any prior art or for any other statutory considerations.

CONCLUSION

Accordingly, in view of the above amendments and remarks, an early indication of the allowability of each of claims 1-19 in connection with the present application is earnestly solicited.


Should there be any outstanding matters that need to be resolved in the present application, the Examiner is respectfully requested to contact Donald J. Daley at the telephone number of the undersigned below.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. §§1.16 or 1.17; particularly, extension of time fees.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By: 
Donald J. Daley, Reg. No. 34,313

DJD:kna

P.O. Box 747
Falls Church, VA 22040-0747
(703) 205-8000

ABSTRACT OF THE DISCLOSURE

A method of operating a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, with a computing unit is described. A plurality of slabs which belong to different production orders are produced within sequences on the continuous casting and rolling plant. The order of the slabs belonging to the production orders within the sequences are determined with the computing unit by a genetic algorithm. The continuous casting and rolling plant is controlling by the computing unit in accordance with the order determined.

4/18/13

09/743634
526 Rec'd PCT/PTO 12 JAN 2001

1998P08643

Title: Continuous casting and rolling plant, in particular thin-slab continuous casting and rolling plant

5

Description

- The invention relates to a method of operating a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, with a computing unit, a plurality of slabs which belong to different production orders being produced within sequences on the continuous casting and rolling plant.
- 10 The invention likewise relates to a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, in which case a plurality of slabs which belong to different production orders can be produced within sequences on the continuous casting and rolling plant.
- 15
- 20

Such methods of operating a continuous casting and rolling plant and also such continuous casting and rolling plants are generally known and are in operation in many cases.

5 It is likewise known that continuous casting and rolling plants are subjected to technical restrictions which result, for example, from the service life of parts of the plant. For example, the splitting-up of the operation of the continuous casting and rolling
10 plant into individual sequences is a consequence of such technical restrictions.

Different production orders are processed with continuous casting and rolling plants, and also with thin-slab continuous casting and rolling plants. These
15 production orders result in order-related restrictions, for example with regard to the desired steel grade or the desired thickness and width of the respective end product.

It is known that the technical and the order-
20 related restrictions lead to a situation in which it is very difficult to operate the continuous casting and rolling plant in an optimum manner with different production orders in a so-called production mix. For example, with regard to the utilization rate of the
25 continuous casting and rolling plant, the technical restrictions and the order-related restrictions are virtually opposed to one another, so that it has scarcely been possible hitherto to achieve optimum operation in this respect with different orders of the
30 continuous casting and rolling plant.

The object of the invention is to provide a method of operating a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, which method permits optimized operation.

5 In a method of the type mentioned at the beginning, this object is achieved according to the invention in that the order of the slabs belonging to the production orders within the sequences is determined with the computing unit by a genetic
10 algorithm, and that the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined. In a continuous casting and rolling plant of the type mentioned at the beginning, the object is achieved according to the invention by
15 the use of a genetic algorithm for determining the order of the slabs belonging to the production orders within the sequences.

It has been found that largely optimized operation of the continuous casting and rolling plant can be
20 achieved by means of the genetic algorithm. The genetic algorithm is able to take into account the technical and the order-related restrictions in an optimized manner. With the aid of the genetic algorithm, an order of the slabs within the sequences can be produced,
25 which order of the slabs, despite said restrictions, permits optimized operation of the continuous casting and rolling plant, for example with regard to the utilization rate of the latter.

In an advantageous configuration of the invention, the order of the slabs belonging to the production orders within the sequences is determined with the computing unit by an event-oriented evaluation, and the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.

It has been found that the event-oriented evaluation interacts with the genetic algorithm in an especially effective manner. Operation of the continuous casting and rolling plant in a manner optimized to an especially large extent is obtained with the event-oriented evaluation and the genetic algorithm.

The method according to the invention can be used in an especially effective manner in thin-slab continuous casting and rolling plants. On account of the technical restrictions present there, which are even more extensive, the genetic algorithm in particular is especially suitable for ensuring optimized operation of the plant.

Further features, possible applications and advantages of the invention follow from the description below of exemplary embodiments of the invention, which are shown in the figures of the drawing. In this case, all the features described or shown form the subject matter of the invention on their own or in combination, irrespective of their compilation in the patent claims or when

referring back to them and irrespective of their wording and representation in the description and the drawing, respectively.

Figure 1 shows a schematic block diagram of an exemplary embodiment of a thin-slab continuous casting and rolling plant according to the invention,

figure 2 shows a schematic representation of exemplary sequences of the thin-slab continuous casting and rolling plant of figure 1,

figure 3 shows a schematic block diagram of an exemplary embodiment of a method according to the invention for operating the thin-slab continuous casting and rolling plant of figure 1, and

figure 4 shows a schematic representation of product-dependent sequences of the thin-slab continuous casting and rolling plant of figure 1 which have been prepared according to the method in figure 3.

A thin-slab continuous casting and rolling plant 1, which is intended for the manufacture of sheets for example, is shown in figure 1. The thin-slab continuous casting and rolling plant 1 consists of three casting strands 2, 3, 4, which are united in a following tunnel furnace (CFT) 5. Following the latter is a hot strip mill (HSM) 6 for the further processing.

In the casting strand 2, crude steel is fed to a ladle furnace 7, which serves to alloy the steel

as a function of the desired melt sizes. Arranged downstream of the ladle furnace 7 is a vacuum degasser (VD) 8, with which the steel is degassed as a function of the desired steel grade. This is followed by a continuous caster (CC) 9, with which the steel is cast into slabs. After the casting process, the slab is cut to its length specified in the order in order to subsequently enter the tunnel furnace.

It is possible for there to be no ladle furnace 7 and no vacuum degasser 8 in the casting strand 2, so that the crude steel is introduced directly into the continuous caster 9.

An electric arc furnace (EAF) 10 is provided in each of the two casting strands 3, 4, the two electric arc furnaces 10 being fed with scrap. The scrap is melted in the electric arc furnaces 10. Arranged in each case downstream of the electric arc furnaces 10 are a ladle furnace 11 and a vacuum degasser 12, which have the functions already described in connection with the casting strand 2. These are followed in each case by a continuous caster 13.

Slabs are produced by the casting of the steel by means of the continuous casters 9, 13, and these slabs pass through the tunnel furnace 5. The slabs pass directly from the respective distributors into the tunnel furnace. Inside the tunnel furnace 5, these slabs may

be at least briefly cushioned, and pre-drawing of individual slabs is also possible.

Provided for the shaping of the slabs at each continuous caster are a distributor and molds and segments, through which the melts are poured and become slabs. The molds and the segments can be adjusted at a distance from one another, so that the width and the thickness of the slab are adjustable. Since the plant is a thin-slab continuous casting and rolling plant, the slabs upstream of the hot strip mill 6 have a mold-dependent thickness in the region of about 50 mm.

Unlike continuous casting and rolling methods in general, the slabs produced in the case of the thin-slab continuous casting and rolling plant of figure 1 are not stored. Instead, the slabs are immediately fed to the hot strip mill 6. As identified in figure 1 with the reference numeral 15, the slabs are fed one after the other to the hot strip mill 6 for processing, that is to say, two slabs are no longer fed simultaneously or in parallel, as is the case in the tunnel furnace 5.

In the hot strip mill 6, the slabs are repeatedly passed through roll pairs and are thereby reduced in their thickness. The hot strip is obtained, which approximately has thicknesses of between 1 mm and 12 mm. The hot strip mill 6 is often followed by a cold strip mill, with which the slabs are subjected to a further reduction in thickness. The end product obtained

at the outlet of the cold strip mill is the cold strip, which is, for example, a sheet having a thickness of 0.8 mm to 1 mm.

Inter alia, the parts of the thin-slab continuous casting and rolling plant 1 which have been described each have a certain service life. Thus, for example, the distributors of the continuous casters 9, 13, after a certain quantity of liquid steel has passed through, must be cleaned, heated and, if need be, also partly renewed. This correspondingly applies to the molds and the segments. In the hot strip mill 6 and the cold strip mill, the rolls have to be renewed after a certain rolled length of slabs have passed through. These operations are designated as setting-up or set-up.

The continuous casters 9, 13 may be set up independently of one another at different times. The hot strip mill is set up without interrupting the casting process. The setting-up at the continuous casters 9, 13 interrupts the continuous casting of slabs. The interval between two set-ups is designated as sequence.

If the thin-slab continuous casting and rolling plant 1 is considered from the point of view of the tunnel furnace 5, a pattern is obtained which is explained below with reference to figure 2. In this case, figure 2 is

a diagram plotted against time t , this diagram indicating the time sequence of operations in the tunnel furnace 5.

As has been described, two strands 16, 17 pass with successive slabs through the tunnel furnace 5. Each of these strands consists of successive sequences 18 and set-ups 19. Each of the sequences 18 is composed of individual melts 20, certain slabs 21 in each case being assigned to the individual melts 20.

The sequences 18 and set-ups 19, as described, result from the service life of the parts of the thin-slab continuous casting and rolling plant 1. The melts 20, which are also designated as heats, involve different steels, for example different steel grades, which are produced via the various casting strands 2, 3, 4 and are fed to the tunnel furnace 5. The slabs 21 each have, for example, the steel grade of that melt 20 from which they have been produced. In this case, a plurality of slabs 21 can be produced from one of the melts 20, as shown in figure 2.

By way of example, figure 2 shows how, in the case of the strand 17, the first sequence 18 is composed of a total of four melts 20, which in turn are provided for producing a total of 87 slabs.

Within one of the sequences 18, that is, for example, within the aforesaid first sequence 18, only melts 20 whose steel grades are compatible with one another can be processed. The melts 20 must belong to a
5 so-called steel-grade family. Melts 20 having other steel grades cannot be used until after a set-up 19. This constitutes a technical restriction for the thin-slab continuous casting and rolling plant 1.

As has been explained, the sequences 18 depend on
10 the service life of the parts of the thin-slab continuous casting and rolling plant 1. This constitutes a further technical restriction for the thin-slab continuous casting and rolling plant 1.

As has likewise been described, the width and the
15 thickness of the slabs may be influenced by means of the molds and the segments. However, this is not possible in any desired manner. Thus, for example, the width of the slabs may only be changed from a larger width to a smaller width within one and the same
20 sequence. In this way, there are further technical restrictions for the thin-slab continuous casting and rolling plant 1 which have to be taken into account during operation of the same.

With the thin-slab continuous casting and rolling
25 plant 1 described which has the technical restrictions likewise described,

production orders are executed which have order-related restrictions.

These order-related restrictions involve, for example, the steel grade and the quality of the steel which is desired in a production order and is to be used. A further order-related restriction of a production order consists in the desired thickness and width of the end product to be manufactured, that is, for example, of the desired sheet. Finally, the quantity or the tonnage of the respective production order also constitutes an order-related restriction.

A method of operating the thin-slab continuous casting and rolling plant 1 is shown in figure 3, with which method the aforesaid technical and order-related restrictions can be taken into account.

The method in figure 3 constitutes a combination of a genetic algorithm and an event-oriented evaluation. In the method, first of all an initial or starting solution is defined in order to then determine an iteration process for the operation of the thin-slab continuous casting and rolling plant 1. If a discontinuation criterion has been fulfilled, the method is terminated. The best solution determined then constitutes a solution with which the thin-slab continuous casting and rolling plant 1 can be operated in an optimized manner with regard to the

technical and order-related restrictions.

Shown in figure 3 is a block 22 which is provided for determining and defining the solution space. There, all the data required for carrying out the method are
5 input into a computing unit by a user. This operation is also designated as coding.

Inter alia, these are the data which belong to the individual production orders, that is, for example, delivery dates, quantities to be delivered, and the
10 like. In particular, the data are those which characterize the order-related restrictions, that is, for example, the steel grades of the respective production order, the quality of the steel, the desired width and thickness of the end product, and the like.

15 From these data, the computing unit, in block 22, determines a first solution with which the existing technical and order-related restrictions in the thin-slab continuous casting and rolling plant 1 could be met per se. In this case, the first solution
20 constitutes a proposal as to how the individual slabs belonging to the production orders are to be produced in succession on the thin-slab continuous casting and rolling plant 1. The first solution, which is also designated as starting solution, is a solution

25

in which the thin-slab continuous casting and rolling plant 1 would more likely be operated in an unsatisfactory manner.

The first solution determined in block 22 is
5 evaluated by the computing unit in a block 23. To this end, an event-oriented evaluation is carried out on the basis of the existing starting solution. In the process, the operation of the thin-slab continuous casting and rolling plant 1 is simulated by the
10 computing unit using the values of the starting solution.

The technical restrictions of the thin-slab continuous casting and rolling plant 1 are taken into account during this simulation. These are, inter alia,
15 the operating parameters of the thin-slab continuous casting and rolling plant 1, that is, for example, the number of casting strands 2, 3, 4, the number and type of continuous casters 9, 13, the number of slab strands passed through in the tunnel furnace 5, the number and
20 type of rolls of the hot rolling mill 6, and the like. Likewise involved in this case are those data which characterize the technical restrictions, that is, for example, the possible widths and thicknesses of the slabs or the incremental ranges or the like.

25 Therefore all the events which are necessary for planning and which would take place during operation of the thin-slab continuous casting and rolling plant 1 are simulated by the computing unit. It is thus possible for the computing unit to determine certain
30 simulation results.

These simulation results may involve, inter alia, the processing time which is necessary in order to fulfill a certain production order. This may involve the periods which arise when using the first solution
5 for the individual sequences 18. It may involve that utilization rate of the thin-slab continuous casting and rolling plant 1 which is obtained with this starting solution. Such simulation results and other simulation results may be determined by the computing
10 unit and made available as initial information of block 23.

In a block 24, a selection is made by the computing unit on the basis of the simulation result made available. The criterion for this selection is the
15 quality of the simulation result. This quality is calculated by the computing unit from the simulation result, specifically with regard to meeting the technical and order-related restrictions as far as possible in an optimized manner.

20 The following criteria may be included in this calculation of the quality of a simulation result. The thin-slab continuous casting and rolling plant 1 is to be utilized as effectively as possible. The individual parts of the thin-slab continuous casting and rolling
25 plant 1 are likewise to be utilized as effectively and uniformly as possible. The existing casting strands 2, 3, 4 and the continuous casters 9, 13 are to be operated as synchronously as possible. The longest possible service life of the

parts of the thin-slab continuous casting and rolling plant 1 is to be achieved. There is to be as little scrap as possible during the entire manufacturing process. The delivery dates stipulated in the individual production orders are to be adhered to. The requirements imposed on the end product to be manufactured, that is, for example, the width, the quality and the like, are to be adhered to.

Such criteria and other criteria can be taken into account by the computing unit when determining, in block 24, the quality of the simulation result made available by block 23.

Depending on the quality determined by the computing unit, a decision is made as to whether the method is to be continued or terminated. If the quality exceeds an intended discontinuation criterion, this means that the desired quality is reached and the method is terminated. However, if this is not the case, the method is continued with block 25. This is normally always the case during the first pass on the basis of the starting solution determined by block 22.

In block 25, a genetic algorithm is applied to the actual generation of solutions. In the process, the individual values of the solution are subjected to a selection and/or a

recombination and/or a mutation. These measures are also designated as genetic operators.

The aforesaid selection refers to a reproduction in which certain values of the solution are increased as a function of their quality. During the recombination, values of the solution are interchanged and, if need be, are additionally combined with one another. During the mutation of the solution, certain values of the same are changed individually and, if need be, new values are additionally added.

Genetic algorithms and their use are known from the following publications:

DeJong, K. (1985): Genetic Algorithms: A 10 Year Perspective, Proceedings of an International Conference on Genetic Algorithms and their Applications: pages 169-177, Hillsdale, N. J.;

Goldberg, D. E. (1989): Genetic Algorithms in Search, Optimization, Machine Learning, Addison-Wesley Publishing Company, Inc., Reading, Massachusetts;

Goldberg, D. E. (1989): Zen and the Art of Genetic Algorithms, Proceedings of the Third International Conference on Genetic Algorithms, pages 80-85, Morgan Kaufmann Pub., Palo Alto;

Schulte, J. W., Becker, B. D. (1993): Optimierung in der Werkstattsteuerung: Simulation und Genetische Algorithmen [Optimization in workshop control: simulation and genetic algorithms], Simulationstechnik 5 8th Symposium in Berlin, ASIM Berlin, September 1993, pages 599-602.

After the values of the solution have been subjected to the genetic algorithm, the new solution
10 produced is fed to block 23 again. There, as has already been explained, the solution is evaluated. After that, the determined simulation results are fed to block 24, which, as has likewise been described, determines the quality of the simulation results and,
15 as a function thereof, continues or discontinues the method.

In this way, the method is continued until the desired quality is achieved and thus a solution achieving this quality is found. This solution is an
20 optimized solution which is taken as a basis for the operation of the thin-slab continuous casting and rolling plant 1.

A product-dependent sequence 26 of the thin-slab continuous casting and rolling plant 1 of figure 1 is
25 shown by way of example in figure 4, which product-dependent sequence has been prepared according to the method in figure 3. As has already been explained in connection with figure 2, the sequence 26, 27 in each case follow a set-up. There are a plurality of melts 28
30 in the sequences 26, 27, these melts being provided for the production of a multiplicity of slabs 29.

Unlike the representation of figure 2, the slabs 29 are no longer just "any" slabs but are certain slabs which are assigned to certain production orders 30, 31. This follows from figure 4 by virtue of the fact that
5 the individual slabs 29 are provided with identifying marks whose second digit identifies the respective production order 30, 31 and whose first digit indicates the number of the slab 29 in the production order 30, 31. The "slab 4,1" therefore means the fourth slab 29
10 of the first production order 30.

It is essential in figure 4 that the slabs 29 of the individual production orders 30, 31 are no longer processed one after the other within the sequences 26, 27. This change in the order of processing is
15 determined and controlled by the method in figure 3. With the change, the technical and the order-related restrictions of the thin-slab continuous casting and rolling plant 1 are taken into account by the method in figure 3. The computing unit mentioned in connection
20 with figure 3 then controls the thin-slab continuous casting and rolling plant 1 in such a way that the progress of the sequences 26, 27 which is shown in figure 4 is obtained.

With the aid of the method described, it is thus
25 possible to distribute the slabs 29 of the individual production orders 30, 31 to the sequences 26, 27 in such a way that the thin-slab continuous casting and rolling plant 1 is operated in an optimized manner. This

distribution is determined by the computing unit according to the method in figure 3. Accordingly, the thin-slab continuous casting and rolling plant 1 is controlled by the computing unit in such a way that the
5 order determined of the individual slabs 29 belonging to the production orders 30, 31 within the sequences 26, 27 is actually implemented.

Patent claims

1. A method of operating a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, with a computing unit, a plurality of slabs (29) which belong to different production orders (30, 31) being produced within sequences (26, 27) on the continuous casting and rolling plant, characterized in that the order of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27) is determined with the computing unit by a genetic algorithm, and in that the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.
2. The method as claimed in claim 1, characterized in that a selection and/or a recombination and/or a mutation is carried out by the genetic algorithm.
3. The method as claimed in claim 1 or 2, characterized in that the order of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27) is determined with the computing unit by an event-oriented evaluation, and in that the continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.

4. The method as claimed in claim 3, characterized in that solutions are evaluated according to their quality by the event-oriented evaluation.

5. The method as claimed in one of claims 1 to 5, characterized in that a starting solution, as starting point, is determined by the computing unit.

6. A continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, with a computing unit, in which case a plurality of slabs (29) which belong to different production orders (30, 31) can be produced within sequences (26, 27) on the continuous casting and rolling plant, characterized by the use of a genetic algorithm for determining the order of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27).

7. The continuous casting and rolling plant as claimed in claim 6, characterized by the use of an event-oriented evaluation for determining the order of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27).

Abstract

A method of operating a continuous casting and rolling plant, in particular a thin-slab continuous casting and rolling plant, with a computing unit is described. A plurality of slabs (29) which belong to different production orders (30, 31) are produced within sequences (26, 27) on the continuous casting and rolling plant. The order of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27) are determined with the computing unit by a genetic algorithm. The continuous casting and rolling plant is controlled by the computing unit in accordance with the order determined.

(Figure 4)

PCT

WELTORGANISATION FÜR GEISTIGES EIGENTUM
Internationales Büro
INTERNATIONALE ANMELDUNG VERÖFFENTLICHT NACH DEM VERTRAG ÜBER DIE
INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES PATENTWESENS (PCT)

(51) Internationale Patentklassifikation ⁷ :

B22D 11/16

A1

(11) Internationale Veröffentlichungsnummer: WO 00/05014

(43) Internationales

Veröffentlichungsdatum:

3. Februar 2000 (03.02.00)

(21) Internationales Aktenzeichen:

PCT/DE99/02107

(22) Internationales Anmeldedatum:

8. Juli 1999 (08.07.99)

(30) Prioritätsdaten:

198 32 762.5

21. Juli 1998 (21.07.98)

DE

(71) Anmelder (für alle Bestimmungsstaaten ausser US):
SIEMENS AKTIENGESELLSCHAFT [DE/DE]; Wiltelsbacherplatz 2, D-80333 München (DE). FRAUNHOFER-GESELLSCHAFT ZUR FÖRDERUNG DER ANGEWANDTEN FORSCHUNG E.V. [DE/DE]; Leonrodstrasse 54, D-80636 München (DE).

(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): BÜRVENICH, Hans-Peter [DE/DE]; Killinger Strasse 81, D-91056 Erlangen (DE). DACHTLER, Gerhard [DE/DE]; Johann-Sebastian-Bach-Strasse 2, D-91083 Baiersdorf (DE). WELLER, Rüdiger [DE/DE]; Märzenbaumstrasse 2, D-70567 Stuttgart (DE).

(74) Anwalt: ZEDLITZ, Peter; Postfach 22 13 17, D-80503 München (DE).

(81) Bestimmungsstaaten: AU, US, europäisches Patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

Veröffentlicht

Mit internationalem Recherchenbericht.


Vor Ablauf der für Änderungen der Ansprüche zugelassenen Frist; Veröffentlichung wird wiederholt falls Änderungen eintreffen.

(54) Title: CONTINUOUS CASTING INSTALLATION, ESPECIALLY A THIN SLAB CONTINUOUS CASTING INSTALLATION

(54) Bezeichnung: GIESSWALZANLAGE, INSBESONDERE DÜNNBRAMMENGIESSWALZANLAGE

(57) Abstract

The invention relates to a method for operating a continuous casting installation, especially a thin slab continuous casting installation, using a computing unit. A plurality of slabs (29) which belong to different production orders (30, 31) are produced within sequences (26, 27) on the continuous casting installation. The computing unit determines the sequence of the slabs (29) belonging to the production orders (30, 31) within the sequences (26, 27) by using a genetic algorithm. The continuous casting installation is controlled by the computing unit according to the determined sequence.



1998P08643





FIG 1

1998P08643



1998P08643




FIG 3

1998P08643




FIG 4

Declaration and Power of Attorney For Patent Application

Erklärung Für Patentanmeldungen Mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

As a below named inventor, I hereby declare that:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

My residence, post office address and citizenship are as stated below next to my name,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

GIESSSWALZANLAGE, INSBESONDERE DÜNNBRAMMENGIESSSWALZANLAGE

CONTINUOUS CASTING INSTALLATION, ESPECIALLY A THIN SLAB CONTINUOUS CASTING INSTALLATION

deren Beschreibung

the specification of which

(zutreffendes ankreuzen)

(check one)

☐ hier beigefügt ist.

☐ is attached hereto.

☒ am 08.07.1999 als

☒ was filed on 08.07.1999 as

PCT internationale Anmeldung

PCT international application

PCT Anmeldeungsnummer PCT/DE99/02107

PCT Application No. PCT/DE99/02107

eingereicht wurde und am _____
abgeändert wurde (falls tatsächlich abgeändert).

and was amended on _____
(if applicable)

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to above.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

German Language Declaration

Prior foreign applications
Priorität beansprucht

Priority Claimed

19832762.5

DE

21.07.1998

☒ Yes

☐ No

(Number)
(Nummer)

(Country)
(Land)

(Day Month Year Filed)
(Tag Monat Jahr eingereicht)

Ja

Nein

(Number)
(Nummer)

(Country)
(Land)

(Day Month Year Filed)
(Tag Monat Jahr eingereicht)

☐
Yes
Ja

☐
No
Nein

(Number)
(Nummer)

(Country)
(Land)

(Day Month Year Filed)
(Tag Monat Jahr eingereicht)

Yes
Ja

☐ No
Nein ☐

Ich beanspruche hiermit gemäss Absatz 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 120, den Vorzug aller unten aufgeführten Anmeldungen und falls der Gegenstand aus jedem Anspruch dieser Anmeldung nicht in einer früheren amerikanischen Patentanmeldung laut dem ersten Paragraphen des Absatzes 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 122 offenbart ist, erkenne ich gemäss Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) meine Pflicht zur Offenbarung von Informationen an, die zwischen dem Anmeldedatum der früheren Anmeldung und dem nationalen oder PCT internationalen Anmeldedatum dieser Anmeldung bekannt geworden sind.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §122, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

PCT/DE99/02107

08.07.1999

pending

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date D, M, Y)
(Anmeldedatum T, M, J)

(Status)
(patentiert, anhängig,
aufgegeben)

(Status)
(patented, pending,
abandoned)

(Application Serial No.)
(Anmeldeseriennummer)

(Filing Date D,M,Y)
(Anmeldedatum T, M; J)

(Status)
(patentiert, anhängig,
aufgeben)

(Status)
(patented, pending,
abandoned)

Ich erkläre hiermit, dass alle von mir in der vorliegenden Erklärung gemachten Angaben nach meinem besten Wissen und Gewissen der vollen Wahrheit entsprechen, und dass ich diese eidesstattliche Erklärung in Kenntnis dessen abgebe, dass wissentlich und vorsätzlich falsche Angaben gemäss Paragraph 1001, Absatz 18 der Zivilprozessordnung der Vereinigten Staaten von Amerika mit Geldstrafe belegt und/oder Gefängnis bestraft werden können, und dass derartig wissentlich und vorsätzlich falsche Angaben die Gültigkeit der vorliegenden Patentanmeldung oder eines darauf erteilten Patentes gefährden können.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Customer No.

And I hereby appoint

Telefongespräche bitte richten an:
(Name und Telefonnummer)

Direct Telephone Calls to: (name and telephone number)

Ext. _____

Postanschrift:

Send Correspondence to:

Birch, Stewart, Kolasch & Birch LLP
8110 Gatehouse Road / Suite 500 East 22042 Falls Church, Virginia
Telephone: +1 703 205 8000 and Facsimile +1 703 205 8050

or

Customer No. 02292

Voller Name des einzigen oder ursprünglichen Erfinders: HANS-PETER BÜRVENICH 1-00		Full name of sole or first inventor: HANS-PETER BÜRVENICH	
Unterschrift des Erfinders <i>H. P. Bürvenich</i>	Datum 28.2.2001	Inventor's signature <i>H. P. Bürvenich</i>	Date 28.2.2001
Wohnsitz ERLANGEN,		Residence ERLANGEN, DEX	
Staatsangehörigkeit Deutsch		Citizenship German	
Postanschrift KILLINGER STR.81		Post Office Address KILLINGER STR.81	
91056 ERLANGEN		91056 ERLANGEN	
Voller Name des zweiten Miterfinders (falls zutreffend): GERHARD DACHTLER 2-00		Full name of second joint inventor, if any: GERHARD DACHTLER	
Unterschrift des Erfinders <i>Gerhard Dachtler</i>	Datum 28.2.2001	Second inventor's signature <i>Gerhard Dachtler</i>	Date 28.2.2001
Wohnsitz BAIERSDORF,		Residence BAIERSDORF, DEX	
Staatsangehörigkeit Deutsch		Citizenship German	
Postanschrift Johann.-Sebastian.-BACH-STR. 2		Post Office Address Johann.-Sebastian.-BACH-STR. 2	
91083 BAIERSDORF		91083 BAIERSDORF	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).

Voller Name des dritten Miterfinders: RÜDIGER WELLER		Full name of third joint inventor: RÜDIGER WELLER	
Unterschrift des Erfinders <i>R. Weller</i>	Datum 6.3.2001	Inventor's signature <i>R. Weller</i>	Date 6.3.2001
Wohnsitz STUTTGART,		Residence STUTTGART, DEX	
Staatsangehörigkeit Deutsch		Citizenship German	
Postanschrift MAERZENBAUMSTR. 2		Post Office Address MAERZENBAUMSTR. 2	
70567 STUTTGART		70567 STUTTGART	
Voller Name des vierten Miterfinders:		Full name of fourth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des fünften Miterfinders:		Full name of fifth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	
Voller Name des sechsten Miterfinders:		Full name of sixth joint inventor:	
Unterschrift des Erfinders	Datum	Inventor's signature	Date
Wohnsitz		Residence	
Staatsangehörigkeit		Citizenship	
Postanschrift		Post Office Address	

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors).